

# MCVP42

ZERO CLEARANCE **DIRECT VENT** PENINSULA GAS FIREPLACE





### MCVP42

### ZERO CLEARANCE **DIRECT VENT** PENINSULA GAS FIREPLACE

Model Fuel Gas Control Millivolt / IPI Input Max. Input Min. Glass Type

MCVP42N/NE Natural 30.250 BTU 21,000 BTU **FE (P.4.1-15)** 53% / 54.63% Tempered

MCVP42LP/LPE Propane Millivolt / IPI 28.500 BTU 23,000 BTU Tempered

MCVP42NH/NHE Natural Millivolt / IPI 31.250 BTU 21,250 BTU 53.82% / 55.32% 64.55% / 66.49% Ceramic

MCVP42LPH/LPHE Propane Millivolt / IPI 29.000 BTU 23,000 BTU 65.66% / 67.42% Ceramic



#### STANDARD FEATURES

- Dedicated Clean View appliance
- Millivolt or IPI valve system allows operation during a power failure with Hi/Low heat and flame adjustment
- · Safety Screen Barrier



Safety Screen Barrier

#### **OPTIONAL FEATURES**

Porcelain Reflective Liner

**Brick Refractory Liner** Traditional

#### **Glass Tray**

For use with Bronze Glass Media, Cannonballs, and Driftwood Log Set

#### **Accent Lighting**

For use with the Glass Tray

Oak (8 piece) Set, and Driftwood (6 Piece) Set

#### Thermostat

Wall Mount Millivolt Thermostat or Programmable Thermostat



#### **Remote Control**

Thermostat on/off, Thermostat on/off modulating, Thermostat on/off modulating and light control.

Model MCVP42NH Peninsula Fireplace – Natural Gas, MP42GT Glass Tray, ZG5C Glass Media – Bronze x (5), RBCB1 Cannonballs, MP42PL Porcelain Reflective Liner.



# **DESIGNER CLEAN VIEW™ FIREPLACES**

Make the most of the best view in the house with our line of Zero Clearance Direct Vent Peninsula Gas Fireplaces. Ideally suited for new construction or renovations anywhere in your home.

#### **OPTIONS**



Model MCVP42NH Peninsula Fireplace – Natural Gas, MP42GT Glass Tray, ZG5C Glass Media Bronze x (5), M42LOG3 Drift Wood Log Set, MP42PL Porcelain Reflective Panel.

#### **STYLING**



M42LOG4 Oak Log Set



M42LOG3 Driftwood Log Set



RBCB1 Multi-colored Cannonballs




MP42RLT Traditional



MQG5C Decorative Ember Glass

	RONT EW	SIDE VIEW	TOP VIEW
Α	43 <sup>1</sup> /16"	_	<del>-</del>
В	3311/16"	-	-
C	205/8"	-	-
D	2315/16"	-	-
Ε	453/16"	-	-
F	8"	-	-
G	1"	-	-
Н	73/8"	-	-
1	3"	-	-
J	-	421/4"	-
К	-	121/4"	-
L	-	205/8″	-
Μ	-	16″	-
Ν	-	19"	-
0	-	241/4"	-
Р	-	-	23¹/₄"
Q	-	-	241/2"



#### UNIT AND FRAMING SPECIFICATIONS (IN.)

Top Flue Models		Height Framing	Width Actual			Depth Framing
MCVP42	421/4"	423/8"	431/16"	42 <sup>1</sup> / <sub>2</sub> "	241/2"	235/16"



2340 Logan Avenue Winnipeg, Manitoba, Canada R2R 2V3 Phone: (204) 632-1962 Fax: (204) 632-1960

www.kingsmanfireplaces.com

## MCVP42

ZERO CLEARANCE **DIRECT VENT** PENINSULA GAS FIREPLACE





Components may have to be ordered separately to create a complete unit. Discuss with your local Kingsman dealer for clarification.

In a maintains a program of continuous testing, reinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation entification. MCVP42N, MCVP42NE, MCVP42NEP, MCVP42NEP, MCVP42NEP, MCVP42NHE, MCV

Printed in Canada

